



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX67T® Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 40 ounces
- Pile Height: 1.5 inches
- Tuft Gauge: 1/2 inch
- Total Weight: 67 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 12,000
- Thickness/Shape: 210 & 120 micron ww
- Primary Color: Lawn Green, Olive Green & Brown (Tan)
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 80 micron rectangle
- Thatch Color: Lawn Green & Brown (Tan)



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

BACKING DETAIL

- Primary Backing: 13 pic and 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX77T® Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 50 ounces
- Pile Height: 1 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 77 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 9,400
- Thickness/Shape: 300 micron ww
- Primary Color: Lawn Green & Olive Green
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 70 micron rectangle
- Thatch Color: Lawn Green & Brown (Tan)

BACKING DETAIL

- Primary Backing: 13 pic & 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX66TF®

Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 50 ounces
- Pile Height: 1 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 66 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 9,400
- Thickness/Shape: 300 micron ww
- Primary Color: Lawn Green & Olive Green
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 70 micron rectangle
- Thatch Color: Lawn Green & Brown (Tan)

BACKING DETAIL

- Primary Backing: Double layer 100% permeable backing
- Weight: 5 ounces per square yard
- Secondary Coating: Permeable 11 ounces per square yard
- Drainage Perforations: No, 100% permeable backing



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX96TS®

Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 69 ounces
- Pile Height: 1 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 96 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 9,400
- Thickness/Shape: 300 micron ww
- Primary Color: Lawn Green & Spring Green
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 70 micron rectangle
- Thatch Color: Spring Green & Brown (Tan)



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

BACKING DETAIL

- Primary Backing: 13 pic and 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX95HS® Synthetic Turf



Best Used for
**LANDSCAPE
PETS
PLAYGROUND
ROOFTOPS**

TURF DETAILS

- Pile/FaceWeight: 69 ounces
- Pile Height: 1.25 inches
- Tuft Gauge: 3/8 inch
- TotalWeight: 95 ounces
- Traffic Level: High

FIBER DETAILS

- Primary Yarn Type: Nylon
- Denier: 6,500
- Thickness/Shape: 85 micron flat
- Primary Color: Turf Green
- Thatch Yarn Type: Nylon
- Thickness/Shape: 53 micron diamond
- Thatch Color: Green & Tan

BACKING DETAILS

- Primary Backing: 18 pic and 18 pic poly back
- Weight: 6 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes



SPECIAL PRODUCT DETAILS

- No infill required!
- Class A fire rating
- Warrantied against reflective burns from Low E Windows

ROLL DETAILS

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX97T® Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 70 ounces
- Pile Height: 1.5 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 97 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 12,000
- Thickness/Shape: 210 & 120 micron ww
- Primary Color: Lawn Green, Olive Green & Brown (Tan)
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 80 micron rectangle
- Thatch Color: Lawn Green & Brown (Tan)

BACKING DETAIL

- Primary Backing: 13 pic and 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX107T® Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 80 ounces
- Pile Height: 1.75 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 107 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 9,400
- Thickness/Shape: 300 micron ww
- Primary Color: Lawn Green & Olive Green
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 70 micron rectangle
- Thatch Color: Lawn Green & Brown (Tan)

BACKING DETAIL

- Primary Backing: 13 pic and 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APX107TS®

Synthetic Turf

Best Used for
**LANDSCAPE
PETS
PLAYGROUND**



TURF DETAIL

- Pile/Face Weight: 80 ounces
- Pile Height: 1.75 inches
- Tuft Gauge: 3/8 inch
- Total Weight: 107 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene Monofilament
- Denier: 9,400
- Thickness/Shape: 230 micron ww
- Primary Color: Lawn Green & Spring Green
- Thatch Yarn Type: Texturized Polyethylene Monofilament
- Thickness/Shape: 70 micron rectangle
- Thatch Color: Spring Green & Brown (Tan)

BACKING DETAIL

- Primary Backing: 13 pic and 13 pic poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard
- Drainage Perforations: Yes



INFILL DETAIL

- Type: Envirofill, Sand or Crumb Rubber
- Application Rate: 1-2 pounds per square foot

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APXPUTT®

Synthetic Turf

Best Used for
SPORTS



TURF DETAIL

- Pile/Face Weight: 34 ounces
- Pile Height: 0.5 inch
- Tuft Gauge: 3/16 inch
- Total Weight: 66 ounces
- Traffic Level: High



FIBER DETAIL

- Primary Yarn Type: Texturized Polyethylene
- Denier: 5,400
- Thickness/Shape: 100 micron diamond
- Primary Color: Field/Olive

INFILL DETAIL

- Type: Envirofill or Sand
- Application Rate: 0.5-1 pounds per square foot

BACKING DETAIL

- Primary Backing: 13 pic & 13 pic woven poly back
- Weight: 6 ounces per square yard
- Secondary Coating: Urethane 26 ounces per square yard
- Drainage Perforations: None

ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet



APX TURF



CERTIFIED
PFAS SAFE



15-YEAR
WARRANTY

APXPUTT+®

Synthetic Turf

Best Used for
SPORTS



TURF DETAIL

- Pile/Face Weight: 48 ounces
- Pile Height: 0.75 inch
- Tuft Gauge: 3/16 inch
- Total Weight: 74 ounces
- Traffic Level: High

FIBER DETAIL

- Primary Yarn Type: Polyethylene
- Denier: 5,400
- Thickness/Shape: 100 micron diamond
- Primary Color: Golf Green

BACKING DETAIL

- Primary Backing: 13 pic & 13 pic woven poly back
- Weight: 7 ounces per square yard
- Secondary Coating: Urethane 20 ounces per square yard optional
- Drainage Perforations: No

INFILL DETAIL

- Type: Envirofill or Sand
- Application Rate: 0.5-1 pounds per square foot



ROLL DETAIL

- Width: 15 feet
- Length: 100 feet (also available by the lineal foot)
- Shipping Weight: Approximately 1/2 pound per square foot
- Roll Diameter: Approximately 2 feet